

INDEX MAPS.

T. 7 N. R. 1 E. 2nd Mer.

	187-189	187-189	187-189	187-188	187-188	187-188						
191	6	208	5	205	4	202	3	198	2	195	1	186
	209	208	205	201	198	194						
191	7	208	8	204	9	201	10	198	11	194	12	186
	209	207	204	201	197	194						
191	18	207	17	204	16	200	15	197	14	193	13	186
	209	207	203	200	197	193						
190	19	206	20	203	21	200	22	196	23	193	24	185
	210	206	203	199	196	192						
190	30	206	29	202	28	199	27	196	26	192	25	185
	210	206	202	199	195	192						
189	31	205	32	202	33	198	34	195	35	192	36	185
	184	184	184	183	183	183						

T. 8 N. R. 1 E. 2nd Mer.

	217		217		217		216		216		216	
220	6	237	5	233	4	230	3	227	2	223	1	215
	237		237		233		230		226		223	
219	7	236	8	233	9	229	10	226	11	222	12	215
	238		236		232		229		226		222	
219	18	236	17	232	16	229	15	225	14	222	13	214
	238		235		232		228		225		221	
218	19	235	20	232	21	228	22	225	23	221	24	214
	238		235		231		228		224		221	
218	30	234	29	231	28	228	27	224	26	221	25	214
	239		234		231		227		224		220	
218	31	234	32	230	33	227	34	223	35	220	36	213
	211-213		211-213		211-212		211-212		211-212		212	

The figures on the lines refer to the page.

211

Township N. 8 North, Range N. 1 E. T. 3 Mer. Indiana

South Boundary, March 28th 1811

East 1st Mile on Rand^m. between Towns 7 & 8 N. R 1 E.
from a post on the 2nd. Principal Meridian

10.00 a Brook 4 lks. wide C. S. E.

25.00 a do 50 " " " S.

40.00 Set temp^y. q. Sec. post

80.00 Set a temp^y. Mile post
Sand level, timber Beech

East 2nd Mile on Rand^m. betwⁿ. Towns 7 & 8 N. R 1 E

2.00 a Brook 10 lks. wide C. S. S.

40.00 Set temp^y. q. Sec. post

80.00 Set temp^y. Mile post

Sand timber &c. same as on the last mile

East 3rd Mile on Rand^m. between Towns 7 & 8 N. R 1 E.

40.00 Set temp^y. q. Sec. post

80.00 Set temp^y. Mile post

Sand timber &c. same as on the last mile

East 4th Mile on Rand^m. betwⁿ. Towns 7 & 8 N. R 1 E.

33.00 a Creek 150 lks. wide C. S. S. E.

40.00 Set temp^y. q. Sec. post

80.00 Set temp^y. Mile post. - Wet Beech land

East 5th Mile on Rand^m. betwⁿ. Towns 7 & 8 N. R 1 E.

35.00 a Creek 150 lks. wide C. S. D. W.

40.00 Set temp^y. q. Sec. post

50.00 a Creek - lks. wide C. S. N. W.

56.00 Same - " " " D. W.

76.00 Same - " " " N. W.

80.00 Set temp^y. Mile post.

Bottom land, timber Beech, Angora &c.

T8 N. R1 E. 2nd Mer. Indiana

East 6th Mile On Rand^m betwⁿ Towns 7 & 8 N. R1 E.

- 5.00 a Brook 6 lks. wide C.P. S.
 40.00 Set temp^y. of Sec. post
 55.00 a Brook 5 lks. wide C.P. S.
 75.00 a do 10 " " " S.W.
 80.00 Set temp^y. post for Town Corner.
 Hilly land, timber Oak, Beech, Hickory &c.
-

March 30th 1811.

West 1st Mile on true line between Towns 7 & 8 N. R1 E

- 40.00 Set the of. Sec. post on true line, from which
 a Sugar 12 mi. dist. bears S 49° W 30 lks. dist. of
 a do 12 " " " N 74° E 40 " "
 80.00 Set a post Cor. to Secs. 35 & 36, T8 N. R1 E, from which
 a Beech 16 mi. dist. bears N 56° E 23 lks. dist. of
 a do 15 " " " S 59° W 36 " "
-

West 2nd Mile On true line betwⁿ Towns 7 & 8 N. R1 E.

- 40.00 Set the of. Sec. post on true line from which
 a Maple 16 mi. dist. bears North 25 lks. dist. of
 no other timber near.
 80.00 Set a post Cor. to Secs. 34 & 35, T8 N. R1 E, corner
 in the middle of a creek (no bearings)
-

West 3rd Mile On true line betwⁿ Towns 7 & 8 N. R1 E.

- 40.00 Set the of. Sec post on true line, from which
 a Beech 12 mi. dist. bears N 17° E 15 lks. dist. of
 an Elm 16 " " " N 20° E 24 " "
 80.00 Set a post Cor. to Secs. 33 & 34 T8 N. R1 E, from which
 a Beech 30 mi. dist. bears N 58° E 8 lks. dist. of
 a W. Oak 24 " " " S 63° W 15 " "
-

West 4th Mile on true line betwⁿ Towns 7 & 8 N. R1 E.

T8N - R1E. T^h. Mer. Indiana

- 40.00 At the q. Sec. post on true line from which
a Beech 16 mi. diam. bears S 28 E 20 lks. dist. of
a Do 6 " " " N 34 W 27 " "
- 80.00 At a post Cor. to Sect. 32 & 33, T8N. R1E, from which
a Beech 16 mi. diam. bears S 45 E. 11 lks. dist. of
a Do 16 " " " S 79 W 23 " "

Next 5th Mile on true line between Towns 7 & 8 N. R1E.

- 40.00 At the q. Sec. post on true line, from which
a W. Oak 16 mi. diam. bears N 24 E 19 lks. dist. of
a Beech 10 " " " S 8 E 38 " "
- 80.00 At a post Cor. to Sect. 31 & 32, T8N. R1E, from which
a Beech 24 mi. diam. bears S 43 W 14 lks. dist. of
a Do 12 " " " N 9 W 23 " "

Next 6th Mile on true line betwⁿ Towns 7 & 8 N. R1E

- 40.00 At the q. Sec. post on true line from which
a Beech 18 mi. diam. bears S 35 W 12 lks. dist. of
a Do 18 " " " N 35 E 27 " "

Mr. Holmes has not given the whole length
of this line in his notes - But from the closing
out of the E. boundary of Town 7 N. R1E, it
would appear that it ought to be 77.00. (S.M.)

East Boundary Mar. 30th 1811

North Between Towns 8 N. Ranges 1 & 2 E. 1st Mile

- 3.00 a Brook 15 lks wide Cr. Post
- 30.00 a Do 8 " " " N.E
- 40.00 At the q. Sec post from which
a Beech 10 mi. diam. bears S 1 W 33 lks. dist. of
a Do 4 " " " N E 9 " "
- 43.50 Old 1/4 Sec. post
- 53.50 a Brook 8 lks. wide Cr. S.E.

S. N. R. 1 E. 2nd Mer. Indiana

- 78.50 a Brook 25 lks. wide C. S. E.
 80.00 At a post Cor. to Sec. 25 & 36, T. 8 N. R. 1 E. from which
 a Sugar 8 m. dist. bears N 87° W 14 lks. dist. &
 a Do 8 " " " S 9° W 20 " "
 Poor hilly land, timber Oak, Beech & Hickory
-

North 2nd Mile between Towns 8 N. Range 1 & 2 E.

- 5.00 a Branch 15 lks. wide C. S. E.
 6.00 to Old Sec. Corner
 40.00 At the q. Sec. post from which
 a Gum 20 m. dist. bears N 30° E 7 lks. dist. &
 a Do 20 " " " S 30° E 31 " "
 46.89 to Old q. Sec. Corner
 80.00 At a post Cor. to Sec. 24 & 25, T. 8 N. R. 1 E. from which
 a Beech 10 m. dist. bears N 44° E 11 lks. dist. &
 a Hickory 15 " " " S 25° W 17 " "
 Poor hilly, Oak & Beech land &c
-

North 3rd Mile between Towns 8 N. Range 1 & 2 E.

- 7.54 to Old Sec. Corner
 40.00 At the q. Sec. post, from which
 a Beech 20 m. dist. bears N 15° W 21 lks. dist. &
 a Do 14 " " " N 18° E 30 " "
 42.54 a Brook 10 lks. wide C. S. E.
 48.48 to old q. Sec. Corner
 51.54 a Do 12 " " " S. E.
 60.04 a Do 15 " " " S. E.
 70.48 a P. Oak 16 m. dist.
 80.00 At a post Cor. to Sec. 13 & 24, T. 8 N. R. 1 E. from which
 a Willow 8 m. dist. bears S 34° W 16 lks. dist. &
 a Do 24 " " " S 80° E 17 " "
 Poor hilly land, timber Oak, Hickory &c
-

North 4th Mile between Towns 8 N. Range 1 & 2 E.

T8 N. R1 E 2^d. Mer. Indiana

14.41 to the Old Sec. Corner.

39.91 a P. Oak 12 mi. dist.

40.00 Let the q. Sec. post, from which
an Oak 20 mi. dist. bear N 86 W 3 lks. dist. of
a P. Oak 7 " " " S 76 E 12 " "

55.19 to Old 1/4 Sec. Corner.

80.00 Let a post Cor. to Sec. 12 of 13, T8 N. R1 E, from which
a Beech 5 mi. dist. bear S 16 E 9 lks. dist. of
a P. Oak 4 " " " S 62 W 14 " "
Poor hilly, Oak, & Beech land &c.

North 5th Mile between Town 8 N. Range 142 E

1.24 a Brook 12 lks. wide C. S. E.

15.24 to the Old Sec. Corner.

40.00 Let the q. Sec. Corner from which
a Beech 20 mi. dist. bear S 47 W 5 lks. dist. of
a Hickory 18 " " " S 59 E 15 " "

48.72 a Hickory 30 " "

56.72 the Old q. Sec. Corner

80.00 Let a post Cor. to Sec. 14 of 19, T8 N. R1 E, from which
in a branch 100 lks. wide C. W. from which
a Maple 30 lks. dist. bear North 119 lks. dist
Sand hilly & poor, timber Oak, Beech &c.

North 6th Mile between Town 8 N. Range 142 E.

18.50 to the Old Sec. Corner

28.50 a W. Oak 14 mi. dist.

40.00 Let the q. Sec. post, from which
a Redwood 7 mi. dist. bear S 26 E 5 lks. dist. of
a P. Oak 5 " " " N 78 E 31 " "

80.00 a W. Oak 14 " "

97.30 to the Corner of Town 8 & 9 N. Range 142 E
from which a W. Oak 14 mi. dist. bear N 67 E 20 lks. dist.

T & N. R1 E, 2^d. Mer. Indiana

a Gum 12 mi. dist. bears S51W50 lks. dist. 1
 Poor hilly land, timber Oak, Beech &c

North Boundary March 31st. 1811

West 1st Mile between Towns 8 & 9 N. R1 E.

40.00 Let the gr. Sec. post, from which
 a W. Oak 12 mi. dist. bears S62E11 lks. dist. &
 a do 12 " " " North 13 " "

53.00 a Brook 12 lks. wide C. S. W.

80.00 Let a post Cor. to Sec. 35 & 36, T9 N. R1 E, from which
 a P. Oak 30 mi. dist. bears N51W26 lks. dist. &
 a Maple 12 " " " N13E26 " "
 Land poor & hilly, timber Oak, Beech Gum &c.

West 2^d Mile between Towns 8 & 9 N. Range 1 E.

00.50 a Brook 15 lks. wide C. S. E.

40.00 Let the gr. Sec. post, from which
 a W. Oak 14 mi. dist. bears S57E35 lks. dist. &
 a Sugar 13 " " " N21W26 " "

75.00 a Brook 15 lks. wide C. S. W.

80.00 Let a post Cor. to Sec. 34 & 35, T9 N. R1 E, from which
 a Gum 16 mi. dist. bears S56W23 lks. dist. &
 a P. Oak 17 " " " N81E11 " "
 Land timber &c. Same as on the last mile.

West 3^d Mile between Towns 8 & 9 N. R1 E.

40.00 Let the gr. Sec. post, from which
 a Sugar 6 mi. dist. bears S45E10 lks. dist. &
 a Beech 30 " " " West 40 " "

45.00 a Creek 50 lks. wide. C. S.

80.00 Let a post Cor. to Sec. 33 & 34, T9 N. R1 E, from which
 a Beech 14 mi. dist. bears S30E21 lks. dist. &
 a do 18 " " " N16W24 " "

Town 8 & 9 N. Range 1 E. 2nd Mer. Indiana

Hilly, Rich land, timber Oak & Sugar

West 4th Mile between Towns 8 & 9 N. Range 1 E.

21.00 at Brook 10 lbs. wide Cr. S. W.

35.50 a Spring ^{6 lbs} Cr. S. W.

40.00 at the q. Sec. post, from which
a Beech 8 in. dia. bear S 81 W 5 lbs. dist of
a W Oak 36 " " " N 29 E 26 " "

55.00 a Creek 60 lbs. wide Cr. S. E.

80.00 at a post Cor. to Sec. 32 & 33, T 9 N. R 1 E. from which
a Maple 16 in. dia. bear S 47 W 14 lbs. dist of
a Hickory 8 " " " N 5 W 12 " "
Land, timber &c. same as on the last mile

West 5th Mile between Towns 8 & 9 N. Range 1 E.

40.00 at the q. Sec. post, from which
a Beech 15 in. dia. bear N 15 W 17 lbs. dist of
a Sugar 12 " " " S 53 E 30 " "

80.00 at a post Cor. to Sec. 31 & 32, T 9 N. R 1 E. 2nd Mer.
from which a Hickory 14 in. dia. bear N 35 W 19 lbs. dist of
a Beech 16 " " " S 11 W 30 " "
Poor hilly Oak land

West 6th Mile between Towns 8 & 9 N. Range 1 E.

40.00 at the q. Sec. post from which
a Hickory 5 in. dia. bear S 45 E 6 lbs. dist of
a Do 4 " " " North 33 " "

55.50 a Brook 20 lbs. wide Cr. S. E.

78.50 intersected the 2nd Meridian 100 lbs. S. of temp.
post. at a post Cor. to Towns 8 & 9 N. R. 1 E & W. from
which, a Butternut 12 in. dia. bear N 34 E 12 lbs. dist of
a Sugar 13 " " " S 14 E 37 " "
Rich hilly land &c.

T8 N. R1 E. 2^d. Mer. Indiana

West Boundary or 2^d. Principal Meridian
variation 6° 25' E.

North 1st Mile between Towny 8 St. on 2^d. Meridian

15.00 a Brook 4 lks. wide C. E.

25.00 a Slo 4 " " " E.

40.00 Set the gr. Sec. post, from which

a Beech 24 m. dia. bear N 38 E 12 lks. dist. &

on Ironw. 9 " " " S 38 W 22 " "

65.00 a Brook 4 lks. wide C. E.

70.00 a Slo 40 " " " S. E.

80.00 Set a post Cor. to Sec. 25 & 36, T8 N. R1 W, from which

a Sugar 12 m. dia. bear S 78 W 25 lks. dist. &

a Pecan 36 " " " S 87 E 25 " "

Hilly Oak land.

North 2^d Mile between Towny 8 St. on 2^d. Meridian

1.00 a Brook 4 lks. wide C. S. W.

15.00 a Slo 40 " " " S. E.

35.00 Slo 40 " " " S. W.

40.00 Set the gr. Sec. post, from which (in brook)

a Sugar 16 m. dia. bear East 15 lks. dist. &
leave the brook to the west.

75.00 a Brook 6 lks. wide C. W.

80.00 Set a post Cor. to Sec. 24 & 25, T8 N. R1 W, from which

a Sugar 10 m. dia. bear N 50 E 16 lks. dist. &

a Dogw. 4 " " " S 76 W 23 " "

Bottom land timber Sugar, Beech Elm &c.

North 3^d Mile between Towny 8 St. on 2^d. Meridian

15.00 a Brook 6 lks. wide C. S. W.

40.00 Set the gr. Sec. post, from which

a W. Oak 24 m. dia. bear S 82 W 6 lks. dist. &

a Maple 8 " " " N 78 E 5 " "

T8 N R1 E. 2^d. Mer. Indiana

- 50.00 a Brook 6 lks. wide Ct. S.W.
 57.30 a Sugar 16 in. dia.
 55.00 a Brook S.E. kept up the brook to the corner
 then left it to the west.
 80.00 At a post Cor. to Sec. 13 & 24, T8 N. R1 W. from which
 a Beech 18 in. dia. bears N 53 E 16 lks. dist. of
 a do 18 " " " S 58 W 33 " " 1st 1/2
 uneven land, timber Sugar, Beech & last 1/2
 Beech land hilly.

- North 4th. (Mile between Towns 8 N. on the 2^d. Meridian
 40.00 At the q. Sec. post, from which
 a Beech 8 in. dia. bears S 74 W 9 lks. dist. of
 a W. Oak 12 " " " S 39 E 23 " "
 69.75 a Sugar 15 " "
 80.00 At a post Cor. to Sec. 12 & 13, T8 N. R1 W. from which
 a Beech 12 in. dia. bears N 20 E 31 lks. dist. of
 a Sugar 24 " " " S 2 E 60 " "
 Level Sugar tree land.

- North 5th. (Mile between Towns 8 N. on the 2^d. Meridian
 15.00 a Poplar 30 in. dia.
 35.00 a Brook 3 lks. wide Ct. E.
 40.00 At the q. Sec. post, from which
 a W. Oak 36 in. dia. bears N 10 E 12 lks. dist. of
 a Sugar 6 " " " S 62 E 21 " "
 45.00 a Brook 3 lks. wide Ct. E.
 60.00 a do 5 " " " E.
 72.50 a Sugar 14 in. dia.
 78.00 a Brook 6 lks. wide Ct. E.
 80.00 At a post Cor. to Sec. 14 & 12, T8 N. R1 W. from which
 a Sugar 8 in. dia. bears S 13 E 6 lks. dist. of
 a do 12 " " " N 16 W 26 " "

T8 N. R1 E. 2nd. Mer. Indiana

Uneven land timber Beech, Sugar, Oak &c.

North 6th (Mile), between Town 8 N. on 2nd Meridian

26.40 a Sugar 15 in. dia.

40.00 At the q. Sec. post, from which

a Gum 8 in. dia. bears N 64 W 25 lbs. dist of

a Beech 15 " " " N 64 E 34 " "

40.20 a Brook 10 lbs. wide O. E.

60.00 a Slo 10 " " " E.

80.00 At temp. post. March 25th 1811

East-Kugartue land.

Surveyed by Alexander Holmes, A.S.

Subdivision.

North Between Sec. 35 & 36, T8 N. R1 E

12.50 a Brook 10 lbs. wide O. W.

40.00 At the q. Sec. post which a W. Oak 15 in. dia. (Marked for q. Sec. Corner.

80.00 At a post Cor. to Sec. 25, 26, 35 & 36, from which

a Beech 10 in. dia. bears S 21 E 7 lbs. dist of

a Sugar 6 " " " N 15 E 25 " "

Land hilly with high hills, timber Oak and Hickory, underbrush Hazel

East On/Random between Sec. 25 & 36, T8 N. R1 E.

40.00 At temp. q. Sec. post

79.75 Intersected the N & S line 25 lbs. S. of corner.

Land timber &c. Same as on the last mile

West On true line between Sec. 25 & 36, T8 N. R1 E.

39.87^{1/2} At q. Sec. post at ang. dist. from which

a Beech 15 in. dia. bears S 36 W 14 lbs. dist of

a Slo 8 " " " S 9 E 13 " "

T8 N. R1 E. 2^d. Mer. Indiana

79.75 to Sec. Corner.

North Between Sec. 25 & 26, T8 N. R1 E. 2^d. Mer.

40.00 Set the q. Sec. post, from which

a Beech 18 in. dia. bears 012° W 10 lbs. dist. &

a Do 6 " " " N30 E 37 " "

80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which

a W. Oak 20 in. dia. bears N23° W 15 lbs. dist. &

a Beech 7 " " " S25 E 18 " "

Sand timber &c. Same as on the last mile

East On Random between Sec. 24 & 25, T8 N. R1 E.

40.00 Set temp. q. Sec. post

79.78 Intersected the N & S. line 40 lbs. S. of Corner.

Sand timber &c. Same as on the last mile

West On true line between Sec. 24 & 25, T8 N. R1 E.

39.89 Set q. Sec. post at adj. dist. from which

a Beech 6 in. dia. bears N62° W 9 lbs. dist. &

a Do 5 " " " N87 E 6 " "

79.78 to Sec. Corner

North Between Sec. 23 & 24, T8 N. R1 E. 2^d. Mer.

40.00 Set the q. Sec. post, from which

a Chestnut Oak 15 in. dia. bears East 46 lbs. dist. &

a Do 18 " " " N61 E 34 " "

80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which

a P. Oak 8 in. dia. bears N24 E 15 lbs. dist. &

a Chestnut 10 " " " S78 W 14 " "

Sand, timber &c. Same as on the last mile

East On Random between Sec. 13 & 24, T8 N. R1 E.

40.00 Set temp. q. Sec. post.

T8 N R1 E, 2^d. Mer. Indiana

79.36 Intersected the N & S. line at the corner.
 Land, timber &c. same as on the last mile

West on true line between Secs. 13 & 14, T8 N, R1 E.

39.68 Set of. Sec. post at av. dist. from which
 a Beech 20 in. dia. bear S 82° W 5 lbs. dist. of
 a Sugar 15 " " " N 62° W 40 " "

79.36 to Sec. Cor.

North Betw. Secs. 13 & 14, T8 N, R1 E, 2^d. Mer.

40.00 Set the of. Sec. post, from which
 a Beech 8 in. dia. bear N 42° E 3 lbs. dist. of
 a Hickory 5 " " " N 28° W 3 " "

80.00 Set a post Cor. to Secs. 11, 12, 13 & 14, from which
 a Chestnut Oak 25 in. dia. bear N 46° W 4 lbs. dist. of
 a Do 8 " " " N 75° E 22 " "

Land timber &c. same as on the last mile

East On Rand. betw. Secs. 12 & 13, T8 N, R1 E.

40.00 Set temp. of. Sec. post

78.24 Intersected the N & S. line 70 lbs. S. of the Cor.
 Land, timber &c. same as on the last mile

West On true line betw. Secs. 12 & 13, T8 N, R1 E.

39.12 Set of. Sec. post at av. dist. from which
 a Beech 10 in. dia. bear S 59° W 19 lbs. dist. of
 a Dogwood 3 " " " N 17° W 25 " "

78.24 to Sec. Corner.

North Between Secs. 11 & 12, T8 N, R1 E.

40.00 Set the of. Sec. post, from which
 a W. Oak 30 in. dia. bear N 88° W 27 lbs. dist. of
 a do 12 " " " N 30° E 24 " "

T8 N. R1 E. 2^d. Mer. Indiana

77.00 a Brook 100 lks. wide C. S. W.
 80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which
 a Hickory 9 m. dia. bears S 59 E 14 lks. dist. &
 a W. Walnut 15 " " " S 16 W 32 " "
 Sand timber &c. Same as on the last mile

East Out Random betwⁿ. Sec. 1 & 12, T8 N. R1 E.
 16.50 a Brook 100 lks. wide C. S. W.
 40.00 Set temp^y. g. Sec. post
 50.00 a Brook 100 lks. wide C. S. W.
 60.00 a Do 100 lks. " " S. W.
 78.50 Intersected the N. S. line 26 lks. S. of the Cor.
 Sand timber &c. Same as on the last mile

West On true line between Sec. 1 & 12, T8 N. R1 E.
 39.25 Set g. Sec. post at av^y. dist. from which
 a Beech 6 m. dia. bears N 68 E 7 lks. dist. &
 a Do 30 " " " N 8 E 20 " "
 78.50 to Sec. Corner.

North Between Sec. 1 & 12, T8 N. R1 E. 2^d. Mer.
 1.00 a Brook 100 lks. wide C. S. W.
 14.50 Same 100 " " " S. W.
 40.00 Set the g. Sec. post, from which
 a Mulberry 8 m. dia. bears N 50 E 15 lks. dist. &
 a Beech 4 " " " S 35 W 4 " "
 96.17 Intersected the N. boundary 69 lks. N. of Sec. Cor.
 an Elm 15 m. dia. marked for Cor. to Sec. 1
 & 12, Sand timber &c. Same as last mile.

North Between Sec. 34 & 35, T8 N. R1 E. 2^d. Mer.
 40.00 Set the g. Sec. post, from which
 a Beech 10 m. dia. bears N 64 W 33 lks. dist. &
 a Do 10 " " " N 58 E 14 " "

T8 N. R1 E. 2^d. Mer. Indiana

72.00 a water Course 10 Mts. wide C. S. W.

80.00 a ^{6 in. dia.} Oak, Cor. to Sec. 26, 27, 34 & 35.

Land timber &c. Same as on the last mile

East On Random between Sec. 26 & 35, T8 N. R1 E.

35.00 a Brook 10 Mts. wide C. S. W.

40.00 Set temp. q. Sec. post

80.00 Intersected the N. & S. line 5.60 Mts. N. of Corner.

on account of a Crook in the S. boundary

Land timber &c. Same as on the last mile

West On true line between Sec. 26 & 35, T8 N. R1 E

40.00 Set the q. Sec. post at av. J. dist. from which

a Sugar 12 in. dia. bear N 4 W 4 Mts. dist. &

a Beech 3 " " " N 61 W 8 " "

80.00 to Sec. Corner.

North Between Sec. 26 & 27, T8 N. R1 E. 2^d. Mer.

40.00 Set the q. Sec. post, from which

a Beech 12 in. dia. bear N 5 E 22 Mts. dist. &

a Do 12 " " " N 81 E 4 " "

80.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which

a Beech 10 in. dia. bear N 8 W 14 Mts. dist. &

a Do 12 " " " N 81 E 15 " "

Land timber &c. Same as on the last mile

East On Random between Sec. 23 & 26, T8 N. R1 E.

40.00 Set temp. q. Sec. post

80.40 Intersected the N. & S. line, 36 Mts. N. of the Corner.

Land timber &c. Same, as on the last mile

West On true line between Sec. 23 & 26, T8 N. R1 E.

40.20 Set q. Sec. post at av. J. dist. on true line, from which

T8N. R1E. 2^d. Mer. Indiana

a Dogwood 2 mi. diam. bears N37W12 lbs. dist. of
 a Do 4 " " " N4W15 " "

80.40 to Sec. Cor.

North Between Sec. 22 & 23, T8N. R1E. 2^d. Mer.

13.00 a Brook 100 lbs. wide C.S. —

40.00 Set the q. Sec. post, from which
 an Elm 6 mi. diam. bears N51E — lbs. dist. of
 a Do 4 " " " North 20 " "

80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which
 a Beech 30 mi. diam. bears N4W35 lbs. dist. of
 a Do 4 " " " South 20 " "

Sand timber &c, Same as on the last mile

East On Rand. betw. Sec. 14 & 23, T8N. R1E

40.00 Set temp. q. Sec. post.

80.80 Intersected the N. & S. line 40 lbs. N. of the
 Cor. Sand timber &c, Same as on the last mile

West On true line between Sec. 14 & 23, T8N. R1E.

40.40 Set q. Sec. post at ar. dist. from which
 a Sugar 10 mi. diam. bears N39E6 lbs. dist. of
 a Beech 24 " " " N68W41 " "

80.80 to Sec. Corner

North Between Sec. 14 & 15, T8N. R1E 2^d. Mer.

40.00 Set the q. Sec. post, from which
 a Beech 18 mi. diam. bears N5E6 lbs. dist. of
 a Do 3 " " " N34E26 " "

44.00 a Brook 15 lbs. wide C.S. S.W.

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which
 a Beech 20 mi. diam. bears N85W31 lbs. dist. of
 a Do 20 " " " N45E13 " "

T8 N. R1 E. 2ⁿ. Mer. Indiana

Sand timber &c. Same as on the last mile

East On Random betwⁿ. Sec. 11 & 14, T8 N. R1 E.
 40.00 Set temp^y. q^t. Sec. post
 80.30 Intersected the N & S. line 20 lks. N. of the
 Sec. Cor. Sand timber &c. Same

West On true line betwⁿ. Sec. 11 & 14, T8 N. R1 E.
 40.15 Set the q^t. Sec. post at av^g. dist. from which
 a Hickory 5 in. diam. bears N 50° W 16 lks. dist. &
 a Do 15 " " " S 10° E 18 " "
 80.30 to Sec. Corner.

North Between Sec. 10 & 11, T8 N. R1 E. 2ⁿ. Mer.
 18.00 a Beech 15 in. diam. in the line
 40.00 Set the q^t. Sec. post, from which
 a Willow 8 in. diam. bears N 26° W 26 lks. dist. &
 a Dogw. 3 " " " S 74° E 12 " "
 63.00 at Brook 100 lks. wide C. P. W.
 80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
 a Beech 12 in. diam. bears N 44° E 12 lks. dist. &
 a Do 12 " " " East 58 " "
 Sand timber &c. Same as on the last mile

East On Random between Sec. 2 & 11, T8 N. R1 E.
 40.00 Set temp^y. q^t. Sec. post
 70.00 at Brook 100 lks. wide C. P. W.
 74.00 Same 100 " " " N.
 80.12 Intersected the N & S. line at the Corner.
 Sand, timber &c. Same as on the last mile

West On true line between Sec. 2 & 11, T8 N. R1 E.
 40.06 Set q^t. Sec. post at av^g. dist. from which

T8 N. R1 E. 2nd Mer. Indiana

a Beech 12 m. dia. brang N64W23 lkr. dist. of
 a llo 18 " " " N48E26 " "
 80.12 to Sec. Corner.

North Between Sec. 27 & 3, T8 N. R1 E. 2nd Mer.

13.50 a Poplar 20 m. dia. with the line

40.00 Set the q. Sec. post, from which
 a Dogwood 4 m. dia. brang N46W21 lkr. dist. of
 a Sugar 12 " " " N25W14 " "

87.45 Intersected the N. boundary at the Cor.

Land timber &c. Same as on the last mile

North Between Sec. 33 & 34, T8 N. R1 E. 2nd Mer.

40.00 Set the q. Sec. post, from which

a Red bud 4 m. dia. brang N87E15 lkr. dist. of
 an Elm 4 " " " N16W6 " "

80.00 Set a post Cor. to Sec. 27, 28, 33 & 34, from which

a W. Oak 12 m. dia. brang N60W17 lkr. dist. of

a Sugar 6 " " " N48W18 " "

Land timber &c. Same as on the last mile

East On Random between Sec. 27 & 34, T8 N. R1 E.

19.00 a Brook 100 lkr. wide C. S. E.

40.00 Set temp. q. Sec. post

79.90 Intersected the N. S. line 18 lkr. N. of the Cor.

Land timber &c. Same as on the last mile

West On true line betw. Sec. 27 & 34, T8 N. R1 E.

39.95 Set q. Sec. post at adj. dist. from which

a Maple 12 m. dia. brang N52W24 lkr. dist. of

an Elm 2 " " " N84W28 " "

79.90 to Sec. Corner.

T8 N. R1 E. 2^d. Mer. Indiana

North Between Sec. 27 & 28, T8 N. R1 E.

11.00 a Brook 100 yds. wide C.P. S.E.

40.00 At the q. Sec. post, from which
a Beech 20 in. diam. bears S 5 E 22 yds. dist. &
a do 18 " " " N 22 W 10 " "

50.00 a Brook 100 yds. wide C.P. S.W.

80.00 At a post Cor. to Sec. 21, 22, 27 & 28, from which
a Beech 10 in. diam. bears S 79 E 24 yds. dist. &
a do 4 " " " S 6 E 17 " "
Sand timber &c. same as on the last mile

East On Random betw. Sec. 22 & 27, T8 N. R1 E.

35.00 a Brook 100 yds. wide C.P. South

40.00 At temp. q. Sec. post

80.00 Intersected the N & S line 12 yds. N. of the Cor.
Sand timber &c. same as on the last mile

West On true line betw. Sec. 22 & 27, T8 N. R1 E.

40.00 At the q. Sec. Cor. in water. This q. Sec. Corner
Could not be established for water.

80.00 to Sec. Corner.

North Between Sec. 21 & 22, T8 N. R1 E

40.00 At the q. Sec. post, from which
an Ironwood 4 in. diam. bears S 23 E 12 yds. dist. &
a do 6 " " " N 4 W 32 " "

53.00 a Brook 100 yds. wide C.P. —

80.00 a Beech 12 in. diam. Cor. to Sec. 15, 16, 21 & 22,
Sand timber &c. same as on the last mile

East On Random betw. Sec. 15 & 22, T8 N. R1 E.

40.00 At temp. q. Sec. post

80.00 Intersected the N & S line 20 yds. S. of Corner.

T8 N. R1 E. D^o. Mer. Indiana

Land Shilly, timber Beech, Oak & Hickory

West On true line between Sec. 15 & 22, T8 N. R1 E.
 40.10 Set the q. Sec. post at av. g. dist. from which
 a Sugar 15 mi. dist. bearing N 15 W 10 lbs. dist. of
 a W. Walnut 4 " " " S 37 E 6 " "
 80.20 to Section Cor.

North Between Sec. 15 & 16, T8 N. R1 E. D^o. Mer.
 25.00 a Brook 100 lbs. wide C. P. W.

40.00 Set the q. Sec. post, from which
 a Beech 20 mi. dist. bearing N 44 E 13 lbs. dist. of
 a Do 10 " " " N 50 E 18 " "

54.00 a Sycamore 36 mi. dist. in the line

80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which
 a Dogwood 4 mi. dist. bearing S 82 W 7 lbs. dist. of
 a Beech 3 " " " N 55 E 6 " "
 Land timber &c. same as on the last mile

East On Random between Sec. 10 & 15, T8 N. R1 E.

40.00 Set temp. q. Sec. post

49.00 a Brook 100 lbs. wide C. P. S. W.

80.20 Intersected the N & S. line 6 lbs. N. of the Cor.
 Land timber &c. same as on the last mile

West On true line between Sec. 10 & 15, T8 N. R1 E.

40.10 Set q. Sec. post at av. g. dist. from which
 a Dogwood 4 mi. dist. bearing N 29 W 20 lbs. dist. of
 a Sugar 15 " " " S 57 E 13 " "

80.20 Sec. Corner.

North Between Sec. 9 & 10, T8 N. R1 E. D^o. Mer.

34.50 a Brook 15 lbs. wide C. P. E.

T8 N. R1 E 2ⁿ. Mer Indiana

40.00 At the q. Sec. post, from which
a Beech 15 in. dia. bears S70°W20 W. dist. 8
a Do 8 " " " N83°E11 " "

64.50 a Brook 20 W. wide C.P. E.

80.00 At a post Cor. to Secs. 3, 4, 9, 10, from which
a Beech 18 in. dia. bears S35°W11 W. dist. 8
a Do 8 " " " N83°E9 " "

Land timber &c. Same as on the last mile

East On Random betw. Secs. 3 & 10, T8 N. R1 E.

30.00 N. bend of a Brook 100 W. wide C.P. S.W.

40.00 At temp. q. Sec. post

80.22 Intersected the N. S. line at the corner.

Land timber &c. Same as on the last mile

West On true line between Secs. 3 & 10, T8 N. R1 E.

40.11 At q. Sec. post at av. g. dist. from which
a Sugar 15 in. dia. bears N84°W26 W. dist. 8
a Beech 30 " " " N66°E36 " "

80.22 to Sec. Corner

North Between Secs. 3 & 4, T8 N. R1 E. 2ⁿ. Mer.

40.00 At the q. Sec. post, from which
a W. Oak 30 in. dia. bears S70°E— W. dist. 8
a Do good 5 " " " N67°W23 " "

80.61 Intersected the N. boundary at the corner.

Land timber &c. Same as on the last mile

North Between Secs. 32 & 33, T8 N. R1 E. 2ⁿ. Mer.

40.00 At the q. Sec. post, from which
a Maple 10 in. dia. bears N25°W6 W. dist. 8
a Do 8 " " " N56°E18 " "

80.00 At a post Cor. to Secs. 28, 29, 32 & 33, from which

T8N-R1E. 2nd. Mer. Indiana

a W. Oak 10 in. dia. beam S 16 E 3 1/4 k. dist. &
 a Do 5 " " " N 36 E 15 " "
 Sand timber &c. Same as on the last mile

East On Rand^m betwⁿ Sec. 28 & 33, T8N-R1E.
 40.00 Set temp^y. of Sec. post
 79.75 Intersected the N & S. line 25 k. N. of the Corner.
 Sand timber &c. Same as on the last mile

West On true line, between Sec. 28 & 33, T8N-R1E.
 39.87 1/2 Set of Sec. post at ar^y. dist. from which
 a W. Oak 9 in. dia. beam N 46 E 3 1/4 k. dist. &
 a Maple 6 " " " S 79 W 7 " "
 79.75 to Sec. Corner.

North Between Sec. 28 & 29, T8N-R1E. 2nd. Mer.
 40.00 Set the of Sec. post, from which
 a Beech 8 in. dia. beam East 16 k. dist. &
 a Gum. 30 " " " West 10 " "
 80.00 Set a post cor. to Sec. 20, 21, 28 & 29, from which
 a Dogwood 5 in. dia. beam S 85 W 11 k. dist. &
 a Beech 8 " " " S 50 E 31 " "
 Sand timber &c. Same as on the last mile

East On Rand^m between Sec. 21 & 28, T8N-R1E
 40.00 Set temp^y. of Sec. post
 79.30 Intersected the N & S. line 40 k. N. of Corner
 Sand timber &c. Same as on the last mile

West On true line, between Sec. 21 & 28, T8N-R1E.
 39.65 Set of Sec. post at ar^y. dist. on true line, from which
 a Beech 6 in. dia. beam N 47 W 4 k. dist. &
 a Do 3 " " " N 61 W 10 " "

T8 N. R1 E. 2nd Mer. Indiana

79.30 to Sec. Corner

North Between Secs. 20 & 21, T8 N. R1 E. 2nd Mer.
 40.00 Set the q^r. Sec. post, from which
 a Beech 75 in. diam. bears S28 E 35 lks. dist. &
 a Do 8 " " " N27 W 13 " "
 80.00 Set a post Cor. to Secs. 16, 17, 20 & 21, from which
 a Beech 12 in. diam. bears S51 W 10 lks. dist. &
 a Do 5 " " " N79 E 10 " "
 Land, timber, &c. same as on the last mile

East On Random betwⁿ Secs. 16 & 21, T8 N. R1 E.
 40.00 Set temp^y. q^r. Sec. post
 72.00 a creek 100 lks. wide C. S. E.
 79.00 Intersected the N & S. line 40 lks. S. of the corner.
 Land timber &c. same as on the last mile

West On true line betwⁿ Secs. 16 & 21, T8 N. R1 E.
 39.50 a Beech 8 in. diam. Marked for q^r. Sec. Corner.
 on the true line at the average distance.
 79.00 to Sec. Corner

North Between Secs. 16 & 17, T8 N. R1 E. 2nd Mer.
 33.00 a W. Oak 18 in. diam. in the line
 40.00 Set the q^r. Sec. post, from which
 a Beech 18 in. diam. bears S22 W 22 lks. dist. &
 a B. Oak 15 " " " N34 W 10 " "
 80.00 Set a post Cor. to Secs. 8, 9, 16 & 17, from which
 a B. Oak 15 in. diam. bears S51 E 28 lks. dist. &
 a Hickory 6 " " " West 19 " "
 Land timber &c. same as on the last mile

East On Random between Secs. 9 & 16, T8 N. R1 E.

T8 N. R1 E. 2^d. Mer. Indiana

40.00 Set tempf. of Sec. post

79.60 Intersected the N & S. line at the corner.

Land timber &c. Same as on the last mile

West On true line between Sec. 9 & 16, T8 N. R1 E.

39.80 Set of Sec. post at av. dist. from which

a W. Oak 6 in. dia. bray N49 E 18 lks. dist &

a Beech 10 " " " S87 W 16 " "

79.60 to Sec. Corner

North Between Sec. 8 & 9, T8 N. R1 E. 2^d. Mer.

16.00 a Brook 15 lks. wide Cr. Co.

40.00 Set the of Sec. post, from which

a W. Oak 40 in dia. bray N78 W 14 lks. dist &

a Hickory 12 " " " N80 E 18 " "

80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which

a W. Oak 15 in. dia. bray N15 E 16 lks. dist &

a Ho 15 " " " S30 W 18 " "

Land timber &c. Same as on the last mile

East On Random between Sec. 4 & 9, T8 N. R1 E

40.00 Set tempf. of Sec. post

77.00 a Brook 70 lks. wide Cr. S.

79.80 Intersected the N & S. line 20 lks. S. of the Cor.

Land timber &c. Same as on the last mile

West On true line betwⁿ Sec. 4 & 9, T8 N. R1 E.

39.90 Set of Sec. post, at av. dist. from which

a Bassafras 4 in. dia. bray N75 W 7 lks. dist &

an Ironwood 3 " " " N25 E 20 " "

79.80 to Sec. Corner.

North Between Sec. 4 & 5, T8 N. R1 E. 2^d. Mer.

T8 N. R1 E. 2^d. Mer. Indiana

- 28.50 a Brook 15 lbs. wide C. S. E.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. diam. bears N 31 E 7 lbs. dist. &
 a do 10 " " " N 77 W 86 " "
 59.50 an Ash 30 " " in the line
 84.00 Intersected the S. Boundary 60 lbs. W. of Cor.
 Set a post Cor. to Sec. 4 & 5, from which
 a Beech 8 in. diam. bears N 75 W 6 lbs. dist. &
 a do 6 " " " S 64 E 25 " "
 Sand timber &c. Same as on the last mile
-

North Between Sec. 31 & 32, T8 N. R1 E. 2^d. Mer.

- 40.00 Set the q. Sec. post, from which
 a Beech 18 in. diam. bears S 21 W 25 lbs. dist. &
 a do 14 " " " N 61 W 21 " "
 80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which
 a W. Oak 12 in. diam. bears S 5 W 20 lbs. dist. &
 a Hickory 3 " " " S 48 W 16 " "
 Sand timber &c. Same as on the last mile
-

East On Random between Sec. 29 & 32, T8 N. R1 E.

- 40.00 Set temp. q. Sec. post, from which
 79.80 Intersected the N. S. line 20 lbs. N. of Corner
 Sand, timber &c. Same as on the last mile
-

West On true line between Sec. 29 & 32, T8 N. R1 E.

- 39.90 Set q. Sec. post at ang. dist. from which
 a Hickory 3 in. diam. bears N 30 W 11 lbs. dist. &
 a W. Oak 12 " " " S 21 E 7 " "
 79.80 to Sec. Cor.
-

North Between Sec. 29 & 30, T8 N. R1 E. 2^d. Mer.

- 40.00 Set the q. Sec. post, from which

T8 N. R1 E. 2nd Mer. Indiana

- a Beech 10 in. dia. bear N58W54k. dist. &
 a Dogw. 4 " " " S9E20 " "
 50.00 a Brook 11 k. wide E. S. W.
 80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which
 a Beech 12 in. dia. bear S28E94k. dist. &
 a Dogw. 4 " " " N48W14 " "
 Sand timber &c. Same as on the last mile
-

- East On Random between Sec. 20 & 29, T8 N. R1 E.
 40.00 Set temp. q. Sec. post
 80.24 Intersected the N & S. 25 k. S. of the Cor.
 Sand timber &c. Same as on the last mile
-

- West On true line between Sec. 20 & 29, T8 N. R1 E.
 40.12 Set q. Sec. post at ar. dist. from which
 a Beech 6 in. dia. bear N21E104k. dist. &
 a Gum 15 " " " N72W8 " "
 80.24 to Sec. Corner.
-

- North Between Sec. 19 & 20, T8 N. R1 E. 2nd Mer.
 40.00 Set the q. Sec. post, from which
 a W. Oak 4 in. dia. bear S10E214k. dist. &
 a Hickory 4 " " " N26E9 " "
 80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
 a Sassafras 6 in. dia. bear S50W154k. dist. &
 a Do 6 " " " S70E6 " "
 Sand timber &c. Same as on the last mile
-

- East On Random betw. Sec. 19 & 20, T8 N. R1 E.
 40.00 Set temp. q. Sec. post
 80.40 Intersected the N & S. line 25 k. S. of the Corner.
 Sand timber &c. Same as on the last mile
-

T8 N. R1 E. 2nd Mer. Indiana

West On true line between Sec. 17 & 20, T8 N. R1 E.
 40.20 Set the q. Sec. post, at av. dist. from which
 a Beech 10 m. diam. bears N67E 16 lks. dist. &
 a do 6 " " " N2E 7 " "
 80.40 to Sec. Corner.

North Between Sec. 17 & 18, T8 N. R1 E. 2nd Mer.
 40.00 Set the q. Sec. post, from which
 a Poplar 30 m. diam. bears S58E 9 lks. dist. &
 a Beech 8 " " " S20W 8 " "
 80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
 a Dogwood 3 m. diam. bears N2E 3 lks. dist. &
 a W. Oak 20 " " " S55W 26 " "
 Land timber fr. same as on the last mile

East On Random between Sec. 8 & 17 T8 N. R1 E.
 40.00 Set temp. q. Sec. post
 80.60 Intersected the N & S. line 30 lks. N. of the Cor.
 Land timber fr. same as on the last mile

West On true line between Sec. 8 & 17 town 8 N. R1 E.
 40.30 Set q. Sec. post at av. dist. from which
 a W. Oak 10 m. diam. bears N4E 5 lks. dist. &
 a Dogwood 3 " " " N28W 4 " "
 80.60 to Sec. Cor

North Between Sec. 7 & 8, T8 N. R1 E. 2nd Mer.
 22.50 a Brook 10 lks. wide Cr. E.
 40.00 Set the q. Sec. post, from which
 a W. Oak 15 m. diam. bears N15W 10 lks. dist. &
 a Hickory 18 " " " N15E 8 " "
 63.00 a Brook 10 lks. wide Cr. S.E.
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which

T8 N. R1 E. 2^d. Mer. Indiana

a W. Oak 24 in. dia. brang S60E. 6 lbs. dist. of
 a Dogwood 3 " " " N54W14 " "
 Sand timber &c. Same as on the last mile

East On Rand^m. between Sec. 5 & 8, T8 N. R1 E
 40.00 Set temp^y. of Sec. post
 79.25 Intersected the N & S line 26 lbs. N. of Corner.
 Sand timber &c. Same as on the last mile

West On true line between Sec. 5 & 8, T8 N. R1 E
 39.62 1/2 Set of Sec. post at av. dist. from which
 a Sugar 10 in. dia. brang N18W3 lbs. dist. of
 a Do 10 " " " S20W19 " "
 79.25 to Sec. Corner

North Between Sec. 5 & 6, T8 N. R1 E. 2^d. Mer.
 81.00 a Brook 10 in. wide C. E.
 38.00 a Brook 10 " " " N. E.
 40.00 Set the of Sec. post, from which
 a Maple 12 in. dia. brang S45W10 lbs. dist. of
 a Sugar 15 " " " N26W20 " "
 82.12 Intersected the N. Boundary 56 lbs. E. of Cor.
 Set a post Cor. to Sec. 5 & 6, from which
 a Sugar 5 in. dia. brang S22E16 lbs. dist. of
 an Ironw^d. 3 " " " N23E11 " "
 Sand timber &c. Same as on the last mile

West Between Sec. 6 & 7, T8 N. R1 E. 2^d. Mer.
 40.00 Set the of Sec. post, from which
 a Beech 8 in. dia. brang S86W8 lbs. dist. of
 a Hickory 10 " " " S49E21 " "
 79.82 Intersected the 2^d. Meridian 282 lbs. S. of Corner
 Set a post Cor. to Sec. 6 & 7, from which

T8 N. R1 E. 2nd Mer. Indiana

a P. Oak 18 in. dia. bears N 8 W 13 lbs. dist of
 a Beech 10 " " " S 69 E 17 " "
 Rolling land rich Soil, timber Beech, Sugar
 Poplar & Oak.

West Between Secs. 7 & 18, T8 N. R1 E. 2nd Mer.

29.29 a W. Oak 20 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Beech 15 in. dia. bears N 67 W 17 lbs. dist of

a Do 12 " " " N 39 E 35 " "

72.00 a Sugar 20 in. dia. in the line

80.29 Intersected the W. boundary 250 lbs. S. of the

Corner. Set a post Cor. to Secs. 7 & 18, from which

a Beech 8 in. dia. bears N 10 W 18 lbs. dist of

a Do 12 " " " N 56 W 20 " "

Land timber for same as on the last mile

West Between Secs. 18 & 19, T8 N. R1 E. 2nd Mer.

40.00 Set the q. Sec. post, from which

a Beech 9 in. dia. bears N 20 E 10 lbs. dist of

a Sugar 5 " " " S 27 W 30 " "

83.20 Intersected the 2nd Meridian 20 lbs. S. of the Cor.

Set a post, Cor. to Secs. 18 & 19, from which

a Beech 15 in. dia. bears S 19 W 13 lbs. dist of

a Gum 18 " " " S 72 E 24 " "

Wet Soil, timber Oak and Hickory

West Between Secs. 19 & 30, T8 N. R1 E. 2nd Mer.

18.00 a Brook 10 lbs. wide Cr. S. W.

40.00 Set the q. Sec. post, from which

a W. Oak 8 in. dia. bears S 78 E 27 lbs. dist of

a Hickory 18 " " " N 56 E 18 " "

82.10 Intersected the 2nd Mer. 48 lbs. S. of the corner.

T8 N. R1 E 2^d. Mer. Indiana

Set a post Cor. to Sec. 19 & 30, from which
 a Beech 12 mi. dist. bears N 10 E 10 lbs. dist. of
 an Ironw. 4 " " " N 28 E 28 " "
 Land timber &c. Same as on the last mile

West Between Sec. 30 & 31, T8 N. R1 E. 2^d. Mer.
 40.00 Set the q. Sec. post, from which
 a Beech 12 mi. dist. bears S 11 W 6 lbs. dist. of
 a Do 12 mi. " " " S 51 E 33 " "
 51.50 a Brook 10 lbs. wide W. S. W.
 81.76 Intersected the 2^d. Mer. 19 lbs. N. of the Corner
 Set a post Cor. to Sec. 30 & 31, from which
 a Sugar 12 mi. dist. bears N 8 W. 26 lbs. dist. of
 a Do 3 " " " " S 88 E 19 " "
 Land, timber &c. Same as on the last mile
 Surveyed by Arthur Henrie, Dep. Sur.
 (Some time in the year 1815)

I certify that the foregoing transcript of field
 notes of Township T8 N. Range R1 E 2^d. Meridian
 Ind. has been Comp. with the original notes
 in this office, and found to be correct.

Surveyor General's Office

Cincinnati, Dec. 18th 1840

E. S. Cairns
 Sur. Genl.